

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 24/08/2013

Revision : Date:

Page No.: Page 1 of 6

FRC04554 GERANIUM OIL CHINESE

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifiers Product Code FRC04554

Product Name GERANIUM OIL CHINESE

 CAS No
 8000-46-2

 Index No.
 N/A

 CLP Reference No.
 N/A

 REACH Pre-Registration No.
 N/A

 EC No.
 N/A

 FEMA No.
 N/A

1.2 Use in Fragrance and Flavour Application

1.3 Company / Undertaking Identification Ultra International Ltd.

64 / 1, Site-IV, Industrial Area, Sahibabad - 201010 (U.P.) India
Tel: +91 -120 - 4388500 Fax: +91-120 - 437 4000 / 437 4444
E-mail: ultra@ultraintl.com Website: www.ultrainternational.com

.4 Emergency Telephone +91-9810008844

2. HAZARD IDENTIFICATION

2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS classification]

HAZARD CATEGORY
Flammable Liquid 4
H227
COMBUSTIBLE LIQUID

Acute Toxicity: Oral 5 H303 MAY BE HARMFUL IF SWALLOWED

Aspiration Hazard 1 H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

Acute Toxicity: Dermal 5 H313 MAY BE HARMFUL IN CONTACT WITH SKIN

 Skin Corrosion/Irritation 2
 H315
 CAUSES SKIN IRRITATION

 Eye Damage/Irritation 1
 H318
 CAUSES SERIOUS EYE DAMAGE

Skin Sensitization 1 H317 MAY CAUSE AN ALLERGIC SKIN REACTION

Aquatic Acute 2 H401 CAUSES SERIOUS EYE DAMAGE

Aquatic Chronic 3 H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Classification according to Directive 67/548/EEC or Directive 1999/45/EC
R38
IRRITATING TO SKIN

R41 RISK OF SERIOUS DAMAGE TO EYES

R43 MAY CAUSE SENSITIZATION BY SKIN CONTACT

R51/53 TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

2.2 Label Elements

Label elements according to Regulation (EC) No. 1272/2008 (Substance)/Directive 67/548/EEC

Hazard Pictogram / Symbol:







Signal word / Indication(s) of danger:

DANGER

Hazard Pictogram / Symbol:



DANGEROUS FOR THE ENVIRONMENT



Xn HARMFUL

Hazard Statements

H227 COMBUSTIBLE LIQUID

H303 MAY BE HARMFUL IF SWALLOWED

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H313 MAY BE HARMFUL IN CONTACT WITH SKIN

H315 CAUSE SKIN IRRITATION

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H318 CAUSES SERIOUS EYE DAMAGE
H401 CAUSES SERIOUS EYE DAMAGE

H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS



GERANIUM OIL CHINESE

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 24/08/2013

Revision : Date:

Page No.: Page 2 of 6

Precautionary Statements

P210 : KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING

P261 : AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY

P272 : CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE

P 273 : AVOID RELEASE TO THE ENVIRONMENT

FRC04554

P 280 : WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION FACE PROTECTION

P302+352 : IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P333+313 : IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

P391 : COLLECT SPILLAGE

P403+235 : STORE IN A WELL-VENTILATED PLACE, KEEP COOL

P 501 : DISPOSE OFF CONTAINERS TO (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION)

3. COMPOSITION / INFORMATION OF INGREDIENTS

Substance Name
Substance Description
This product is 100% essential oil.

Hazardous components
GERANIOL (CAS No 89-80-5); R52/53
CITRONELLOL (CAS No 491-07-6); R52/53
LINALOOL (CAS No 78-70-6); Xi; R38
ISOMENTHONE (CAS No 491-07-6); R52/53

CAS No. : 8000-46-2 EC No. : N/A

Botanical Name : Pelargonium graveolens

Stabilizers : N/A
Hazard Impurities : N/A

Synonyms : GERANIUM OIL CHINESE

Pelargonium graveolens flower oil

 Index No.
 :
 N/A

 CLP Reference No.
 :
 N/A

 REACH Pre-Registration No.
 :
 N/A

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

 Eye Contact
 :
 Remove contact lenses if worn. Flush immediately with plenty of water.

 Skin Contact
 :
 Remove contaminated clothing. Wash affected area with mild soap and water.

 Inhalation
 :
 Remove affected person to fresh air. If discomfort persists, consult physician.

 Swallowing
 :
 Seek immediate medical care.

.2 Indication of any immediate medical attention and special treatment method

IF SWALLOWED: Immediately call a POISON CENTER or Doctor/Physician.

IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media

- **Suitable** : Carbon Dioxide; Dry Chemical; Universal Type Foam.

- Unsuitable : Water spray: others not established.

.2 Special hazards arising from substance

Combustible liquid Possibility of development of hazardous gases or vapors in event of fire Following may develop: CO and CO2

5.3 Advice for fire fighters

Do not stay in dangerous zone without self protective clothing and breathing apparatus Spray extinguishing media directly into base of fire Cool containers exposed to flame with water Prevent fire fighting water entering surface water or ground water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

Wear personal protective clothing. Keep away unprotected individuals. Eliminate source of ignition. Keep area well ventilated and isolate the spill.

6.2 Environmental precautions

Prevent entry into drains, ground/surface water or sewerage system.

6.3 Methods and material for containment and cleaning up

Pick up with absorbents material (Sand) or with pump for large spills.

6.4 Reference to other sections

Refer to Section 7, 8 & 13



(According to Regulation (EC) No. 1907/2006 (REACH)

GERANIUM OIL CHINESE

Version : Date: SDS/2010/1 24/08/2013

Page 3 of 6

Revision : Date: Page No. :

:

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Measures to prevent fire

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

FRC04554

Use explosion proof electrical/ ventilating/lighting/equipment etc.

Measures to prevent aerosols and dust generation

Ensure good ventilation at workplaces

Measures to protect the environment

Prevent entry into drains, ground/surface water or sewerage system.

General Occupational hygiene

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe use, including any incompatibilities

Information on storage conditions

Should be stored in cool, dark, dry, well ventilated places in full, tightly sealed containers protected from light & source of ignition

Information on packing materials

Should be packed in Aluminium, HDPE Food Grade Cans, MS Coated Drums, and GI Drums, Avoid long contact with Iron

Requirements for storage rooms and vessels

Should be stored in suitable containers (lines inside) e.g. MS Coated Drums, GI Drums etc. No special requirement for storage rooms.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure controls

8.1 Appropriate engineering controls

Engineering controls should be used as the primary means to control exposures

8.2 Personal protective equipments

Skin protection Eye protection

Body protection

Respiratory protection









Dust mask

Safety gloves

Tight safety goggles

Protective clothing

.3 Environmental exposure controls

Prevent entry into drains, ground/surface water or sewerage system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

-physical state Liquid

-colour Yellowish brown to greenish

Odour Rose like odor with a minty topnote

 Odour Threshold
 Medium

 pH
 N/A

 Melting Point °C
 N/A

 Boiling Point °C
 N/A

 Flook Point (Closed Cur) °C
 74.4400

 Flash Point (Closed Cup) °C
 74.44°C

 Vapour Pressure
 N/A

 Vapour Density
 N/A

 Specific Gravity /Relative Density
 0.882 - 0.899 @ 20°C

 Refractive Index
 1.455 - 1.475 @ 20°C

 $\begin{array}{ll} \textbf{Partition Coefficient} & \text{N/A} \\ \textbf{Surface tension} & \text{N/A} \end{array}$

Solubility

-Water Insoluble

-Alcohol 1:2 in 80% ethyl alcohol

Viscosity Not estimated



GERANIUM OIL CHINESE

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 24/08/2013

Revision : Date:

Page No.: Page 4 of 6

Explosive Limits

 -Lower Explosion Limit
 N/A

 -Upper Explosion Limit
 N/A

 Auto ignition Temperature
 N/A

 Flammability
 N/A

 Granulometry
 N/A

 Oxidising Properties
 N/A

FRC04554

10. STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive, stable at room temperature.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Reactions with strong oxidizers

10.4 Conditions to avoid

No decomposition if stored and handled properly

10.5 Incompatible materials

Avoid strong acids strong bases and all oxidising agents

10.6 Hazardous decomposition products

No dangerous decomposition products expected by intended us

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity oral (LD50) Not Determined 11.2 Acute toxicity inhalation Not Determined 11.3 Acute toxicity dermal (LD50) Not Determined 11.4 Skin Irritation/Corrosion N/A 11.5 Respiratory sensitization N/A 11.6 Skin sensitization N/A 11.7 CMR Effects Carcinogenicity N/A Mutagenicity N/A Toxic to reproduction N/A

11.8 Eye Irritation / Corrosion N/A

11.9 Exposure limits

There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been established.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

 PNEC Oral
 :
 Not Estimated

 NOAEL
 :
 Not Estimated

 EC50 (48hrs)
 :
 Not Estimated

 LC50 (96hrs)
 :
 Not Estimated

12.2 Persistence and degradability : Readily biodegradable in water

12.3 Mobility in Soil : Low mobility

12.4 Results of PBT and vPvB assessment : N/A

13. DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Product/packaging disposal

Handle in accordance with official provisions

Waste treatment options

Recycling is preferred to disposal or burning

Waste code /Waste designations according to EWC/AVV

15 02 02* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

13.2 Recommendations

Empty contaminated packing thoroughly as they may be recycled

Moistened solids to be disposed off adhering to necessary technical regulations after consulting concerned authorities



GERANIUM OIL CHINESE

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : Date: SDS/2010/1 24/08/2013

Revision : Date:

Page No.: Page 5 of 6

14.1 Land Transport (ADR/RID/GGVSE)

UN Number Not Regulated

FRC04554

DG Class N/A

Packing Group N/A

Proper Shipping Name N/A

Classification Code N/A

Hazard Labels N/A

14.2 Sea Transport (IMDG-Code/GGVSee)

UN Number Not Regulated

 DG Class
 N/A

 Packing Group
 N/A

 Proper Shipping Name
 N/A

 Marine Pollutant
 N/A

 Hazard Labels
 N/A

14.3 Air Transport (ICAO-IAT/DGR)

UN Number Not Regulated

 DG Class
 N/A

 Packing Group
 N/A

 Proper Shipping Name
 N/A

14.4 Special precautions for users

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse Prevent entry into drains, ground/surface water or sewerage system.

14.5 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

N/A

14.6 Other Information

Custom Tariff Code : 3301 29 5116

EmS Code : -

15. REGULATORY INFORMATION

EU regulations:

The product has been classified and labelled according to criteria provided in Directive 67/548/EEC and 1272/2008/EC, and following the recommendations of EFFA (European Flavor and Fragrance Association).

Other Regulations: German Regulation (VwVws)

Water Hazard Class : 2

16. OTHER INFORMATION

16.1 Changes to previous version

Changes applicable according to regulation (EC) No 1907/2006 (REACH)

16.2 Abbreviations and acronyms

GHS : Globally Harmonized System of Classification and labeling of Chemicals

CAS : Chemical abstract Service (division of American Chemical society)

CLP : Classification, Labeling and Packaging
LD50 : Lethal concentration, 50 percent
EC50 : Effective concentration, 50 percent
PNEC : Predicted No Effect Concentration
NOAEL : No Observed Adverse Effect Levels

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

RID : Regulations Concerning the International Transport of Dangerous Goods by Rail



IMDG

SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 24/08/2013

Revision : Date:

Page No.: Page 6 of 6

FRC04554 GERANIUM OIL CHINESE

IATA : International Air Transport Association

IATA-DGR : Dangerous Goods Regulations by the International Air Transport Association (IATA)

International Maritime Code for Dangerous Goods

ICAO : International Civil Aviation Organization

16.4 Wording of relevant hazard statement and/or precautionary statements referred to in section 2 to 15

Hazard Codes

N DANGEROUS FOR THE ENVIRONMENT

Xn HARMFUL

:

Risk Phrases

R38 IRRITATING TO SKIN

R41 RISK OF SERIOUS DAMAGE TO EYES

R43 MAY CAUSE SENSITIZATION BY SKIN CONTACT

R51/53 TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

Safety Phrases

\$24 AVOID CONTACT WITH SKIN

\$26 IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE

\$37 WEAR SUITABLE GLOVES \$39 WEAR EYE/FACE PROTECTION

\$61 AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/SAFETY DATA SHEET

\$62 IF SWALLOWED, DO NOT INDUCE VOMITTING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL

Hazard Statements

H227 COMBUSTIBLE LIQUID

H303 MAY BE HARMFUL IF SWALLOWED

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H313 MAY BE HARMFUL IN CONTACT WITH SKIN

H315 CAUSE SKIN IRRITATION

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H318 CAUSES SERIOUS EYE DAMAGE
H401 CAUSES SERIOUS EYE DAMAGE

H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Precautionary Statements

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING

P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY

P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE

P 273 AVOID RELEASE TO THE ENVIRONMENT

P 280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION FACE PROTECTION

P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

P391 COLLECT SPILLAGE

P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL

P 501 DISPOSE OFF CONTAINERS TO..... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION)

16.5 Training advice appropriate for workers

N/A

16.6 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution. It does not represent a guarantee of the properties of the product.