

(According to Regulation (EC) No. 1907/2006 (REACH)

Version: SDS/2010/1 20/08/2013 Date:

Revision: Date:

Page No.: Page 1 of 6

1018 LAVENDER OIL BULGARIAN

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY / UNDERTAKING 1.1 Product Identifiers **Product Code**

> LAVENDER OIL BULGARIAN **Product Name**

CAS No. 8000-28-0 Index No.

CLP Reference No. 02-2119774490-35-0000

REACH Pre-Registration No. N/A 283-994-0 EC No. FEMA No. 2622

Use in Flavour / Food Application. 1.2 Use

Company / Undertaking Identification Ultra International B.V.

Malledijk 3H, 3208 LA Spijkenisse, (Loods 12-15), Netherlands

Tel: +3161 6915330 Fax: +91-120 - 437 4000

E-mail: ultraintl.nl@gmail.in * www.ultrainternational.com

1.4 Emergency Telephone +91-9810008844

2. HAZARD IDENTIFICATION

Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS classification] **HAZARD CATEGORY HAZARD STATEMENTS** Flammable Liquid 4 **H227** COMBUSTIBLE LIQUID

Aspiration Hazard 1 H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

Skin Corrosion/Irritation 2 H315 CAUSES SKIN IRRITATION Aquatic acute 2 H401 TOXIC TO AQUATIC LIFE

Aquatic Chronic 3 H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Classification according to Directive 67/548/EEC or Directive 1999/45/EC R38 IRRITATING TO SKIN

R52/53 HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

Label Elements

R65

Label elements according to Regulation (EC) No. 1272/2008 (Substance)/Directive 67/548/EEC

Hazard Pictogram / Symbol:





Signal word / Indication(s) of danger:

Danger

Hazard Pictogram / Symbol:



Harmful

Hazard Statements

H227 COMBUSTIBLE LIQUID

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS H304

H315 CAUSES SKIN IRRITATION TOXIC TO AQUATIC LIFE H401

HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS H412

Precautionary Statements

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING

P264 WASH (HANDS/FACE) THOROUGHLY AFTER HANDLING



LAVENDER OIL BULGARIAN

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 2 of 6

P273 AVOID RELEASE TO THE ENVIRONMENT

1018

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION

P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN

P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P331 DO NOT INDUCE VOMITTING

P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL

P332+313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION

P405 STORE LOCKED UP

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

3. COMPOSITION / INFORMATION OF INGREDIENTS

 Substance Name
 :
 LAVENDER OIL BULGARIAN

 Substance Description
 :
 This product is 100% essential oil.

Hazardous Components : Linalool (CAS Nº 78-70-6);Xi, R38 Amount-25-40%

Limonene (CAS Nº7705-14-8);Xi,N;R10,R38,R43,R50/53;Amount:0.4-1.2%

Geraniol (CAS Nº 106-24-1);Xi;R38,R41,R43;Amount::0.4-1%

 CAS No
 : 8000-28-0

 EC No
 : 283-994-0

Botanical Name : Lavandula angustifolia

Synonyms : LAVENDER OIL BULGARIAN

Lavandula officinalis

Index No. : N/A

CLP Reference No : 02-2119774490-35-0000

REACH Pre-Registration No. : N/A

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

 Eye Contact
 :
 Remove contact lenses if worn. Flush immediately with plenty of water.

 Skin Contact
 :
 Remove contaminated clothing. Wash affected area with mild soap and water.

 Inhalation
 :
 Remove affected person to fresh air. If discomfort persists, consult physician.

Swallowing : Seek immediate medical care.

4.2 Indication of any immediate medical attention and special treatment method

IF SWALLOWED: Immediately call a POISON CENTER or Doctor/Physician.

IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media

- **Suitable** : Carbon Dioxide; Dry Chemical; Universal Type Foam.

- **Unsuitable** : Water spray; others not established.

5.2 Special hazards arising from substance

Combustible liquid Possibility of development of hazardous gases or vapors in event of fire Following may develop: CO and CO2

5.3 Advice for fire fighters

Do not stay in dangerous zone without self protective clothing and breathing apparatus Spray extinguishing media directly into base of fire Cool containers exposed to flame with water Prevent fire fighting water entering surface water or ground water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

Wear personal protective clothing. Keep away unprotected individuals. Eliminate source of ignition. Keep area well ventilated and isolate the spill.

6.2 Environmental precautions

Prevent entry into drains, ground/surface water or sewerage system.

6.3 Methods and material for containment and cleaning up

Pick up with absorbents material (Sand) or with pump for large spills.

6.4 Reference to other sections

Refer to Section 7, 8 & 13



(According to Regulation (EC) No. 1907/2006 (REACH)

LAVENDER OIL BULGARIAN

Version: Date:

SDS/2010/1 20/08/2013

Revision: Date: Page No.:

Page 3 of 6

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Measures to prevent fire

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

1018

Use explosion proof electrical/ ventilating/lighting/equipment etc.

Measures to prevent aerosols and dust generation

Ensure good ventilation at workplaces

Measures to protect the environment

Prevent entry into drains, ground/surface water or sewerage system.

General Occupational hygiene

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Conditions for safe use, including any incompatibilities

Information on storage conditions

Should be stored in cool, dark, dry, well ventilated places in full, tightly sealed containers protected from light & source of ignition

Information on packing materials

Should be packed in Aluminium, HDPE Food Grade Cans, MS Coated Drums, and GI Drums, Avoid long contact with Iron

Requirements for storage rooms and vessels

Should be stored in suitable containers (lines inside) e.g. MS Coated Drums, GI Drums etc. No special requirement for storage rooms.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Engineering controls should be used as the primary means to control exposures

Personal protective equipments

Skin protection Eye protection **Body protection**

Respiratory protection









Dust mask

Safety gloves

tight safety goggles Protective clothing

Environmental exposure controls

Prevent entry into drains, ground/surface water or sewerage system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

-physical state Liquid

-colour Colorless to pale yellow Characteristic

Odour **Odour Threshold** Medium N/A

Melting Point °C N/A **Boiling Point °C** N/A Flash Point (Closed Cup) °C 71 °C Vapour Pressure N/A Vapour Density NE

0.875 - 0.888 @20°C Specific Gravity /Relative Density Refractive Index 1.458 - 1.468 @20°C

Optical Rotation -5° to -12° Surface tension N/A

Solubility

-Water Insoluble Soluble -Alcohol Not estimated Viscosity **Partition Cofficient** Not estimated



LAVENDER OIL BULGARIAN

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 4 of 6

Explosive Limits

 -Lower Explosion Limit
 N/A

 -Upper Explosion Limit
 N/A

 Auto ignition Temperature
 N/A

 Flammability
 Combustible

 Granulometry
 N/A

 Oxidising Properties
 N/A

1018

10. STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive, stable at room temperature.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Reactions with strong oxidizers

10.4 Conditions to avoid

No decomposition if stored and handled properly

10.5 Incompatible materials

Avoid strong acids strong bases and all oxidising agents

10.6 Hazardous decomposition products

No dangerous decomposition products expected by intended us

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity oral (LD50)
11.2 Acute toxicity inhalation
12.0 Myd determined
14250 mg/kg bw (Rat)
15.0 Not determined

11.3 Acute toxicity dermal (LD50) >5000 mg/Kg bw (Rabbit)

11.4 Skin Irritation/Corrosion Not determined
11.5 Respiratory sensitization Not determined

11.6 Skin sensitization N/A

11.7 CMR Effects

Carcinogenicity No Mutagenicity No Toxic to reproduction No

11.8 Eye Irritation / Corrosion Not determined

11.9 Exposure limits There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

established.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

PNEC Oral : Not determined NOAEL : Not determined EC50 (48hrs) : Not determined

LC50 (96hrs) : N/A

12.2 Persistence and degradability : Readily biodegradable in water

12.3 Mobility in Soil : Low mobility

12.4 Results of PBT and vPvB assessment : N/A

13. DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Product/packaging disposal

Handle in accordance with official provisions

Waste treatment options

Recycling is preferred to disposal or burning

Waste code /Waste designations according to EWC/AVV

15 02 02* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

13.2 Recommendations

Empty contaminated packing thoroughly as they may be recycled

Moistened solids to be disposed off adhering to necessary technical regulations after consulting concerned authorities



(According to Regulation (EC) No. 1907/2006 (REACH)

LAVENDER OIL BULGARIAN

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 5 of 6

•

14. TRANSPORT INFORMATION

14.1 Land Transport (ADR/RID/GGVSE):NOT REGULATED

1018

UN Number N/A
DG Class N/A
Packing Group N/A
Proper Shipping Name N/A
Classification Code N/A
Hazard Labels N/A

14.2 Sea Transport (IMDG-Code/GGVSee):NOT REGULATED

UN Number N/A
DG Class N/A
Packing Group N/A
Proper Shipping Name N/A
Marine Pollutant N/A
Hazard Labels N/A

14.3 Air Transport (ICAO-IAT/DGR):NOT REGULATED

 UN Number
 N/A

 DG Class
 N/A

 Packing Group
 N/A

 Proper Shipping Name
 N/A

 Hazard Labels
 N/A

14.4 Special precautions for users

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse Prevent entry into drains, ground/surface water or sewerage system.

14.5 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

N/A

14.6 Other Information

Custom Tariff Code : 3301 23 0000

EmS Code : -

15. REGULATORY INFORMATION

EU regulations:

The product has been classified and labelled according to criteria provided in Directive 67/548/EEC and 1272/2008/EC, and following the recommendations of EFFA (European Flavor and Fragrance Association).

Other Regulations: German Regulation (VwVws)
Water Hazard Class : WGK 2

16. OTHER INFORMATION

16.1 Changes to previous version

Changes applicable according to regulation (EC) No 1907/2006 (REACH)

16.2 Abbreviations and acronyms

GHS : Globally Harmonized System of Classification and labeling of Chemicals

CAS : Chemical abstract Service (division of American Chemical society)

CLP : Classification, Labelling and Packaging

CLP : Classification, Labelling and Packaging
LD50 : Lethal concentration, 50 percent
EC50 : Effective concentration, 50 percent
PNEC : Predicted No Effect Concentration
NOAEL : No Observed Adverse Effect Levels

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

RID : Regulations Concerning the International Transport of Dangerous Goods by Rail



(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 6 of 6

1018 LAVENDER OIL BULGARIAN

IMDG : International Maritime Code for Dangerous Goods
IATA : International Air Transport Association

IATA-DGR : Dangerous Goods Regulations by the International Air Transport Association (IATA)

ICAO : International Civil Aviation Organization

16.4 Wording of relevant hazard statement and/or precautionary statements referred to in section 2 to 15

Hazard Codes

Xn HARMFUL

Risk Phrases

R38 IRRITATING TO SKIN

R52/53 HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC

ENVIRONMENT

R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

Safety Phrases

S62 IF SWALLOWED, DO NOT INDUCE VOMITTING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.

Hazard Statements

H227 COMBUSTIBLE LIQUID

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H315 CAUSES SKIN IRRITATION
H401 TOXIC TO AQUATIC LIFE

H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Precautionary Statements

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING

P264 WASH .. (HANDS/FACE) THOROUGHLY AFTER HANDLING

P273 AVOID RELEASE TO THE ENVIRONMENT

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION

P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN

P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P331 DO NOT INDUCE VOMITTING

P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL

P332+313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION

P405 STORE LOCKED UP

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

16.5 Training advice appropriate for workers

N/A

16.6 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution. It does not represent a guarantee of the properties of the product.