

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 1 of 6

FRC04267 ORANGE OIL BRAZIALIAN

1.1 Product Identifiers Product Code FRC04267

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Name ORANGE OIL BRAZIALIAN

 CAS No.
 8008-57-9

 Index No.
 N/A

 CLP Reference No.
 N/A

 REACH Registration No.
 N/A

 EC No.
 232-433-8

 FEMA No.
 2825

1.2 Use Use in Flavour / Food Application.

1.3 Company / Undertaking Identification Ultra International Ltd.

64 / 1, Site-IV, Industrial Area, Sahibabad - 201010 (U.P.) India Tel: +91 -120 - 4388500 Fax: +91-120 - 437 4000 / 437 4444 E-mail: ultra@ultraintl.com Website: www.ultrainternational.com

1.4 Emergency Telephone +91-9810008844

2. HAZARD IDENTIFICATION

2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS classification]

<u>HAZARD CATEGORY</u> <u>HAZARD STATEMENTS</u>

Flammable Liquid 3 H226 FLAMMABLE LIQUID AND VAPOUR

Aspiration Hazard 1 H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

Skin Corrosion/Irritation 2 H315 CAUSES SKIN IRRITATION

Skin Sensitization 1 H317 MAY CAUSE AN ALLERGIC SKIN REACTION

Aquatic acute 1 H400 VERY TOXIC TO AQUATIC LIFE

Aquatic Chronic 1 H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R10 FLAMMABLE
R38 IRRITATING TO SKIN

R43 MAY CAUSE SENSITISATION BY SKIN CONTACT
R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

R50/53 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

2.2 Label Elements

Label elements according to Regulation (EC) No. 1272/2008 (Substance)/Directive 67/548/EEC

Hazard Pictogram / Symbol:





GHS 07





Signal word / Indication(s) of danger:

Danger

Hazard Pictogram / Symbol:



N DANGEROUS FOR THE ENVIRONMENT



Xn Harmful

Hazard Statements

H226 FLAMMABLE LIQUID AND VAPOUR

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H315 CAUSES SKIN IRRITATION

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS



ORANGE OIL BRAZIALIAN

(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 2 of 6

Precautionary Statements

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/LIGHTING/.../EQUIPMENT
P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN

P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER

P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

FRC04267

P405 STORE LOCKED UP

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

3. COMPOSITION / INFORMATION OF INGREDIENTS

Substance Name : ORANGE OIL BRAZIALIAN

Product description : Essential Oil

Hazardous Components : D-LIMONENE (CAS No 5989-27-5) Xi, N, R10, R38, R43, R50/53

LINALOOL (CAS No 78-70-6) Xi; R 38 CITRAL (CAS No 5392-40-5) Xi, R38, R43

CITRONELLAL (CAS No 106-23-0) Xi, N, R38, R43, R51/53 TERPINOLENE (CAS No 586-62-9) Xn, N, R65, R51/53

 CAS No
 : 8028-48-6

 EC No
 : 232-433-8

 Botanical Name
 : Citrus sinensis

 Synonyms
 : Orange sweet oil

 Stabalizers
 : N/A

 Index No.
 : N/A

 CLP Reference No.
 : N/A

 REACH Registration No.
 : N/A

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

 Eye Contact
 :
 Remove contact lenses if worn. Flush immediately with plenty of water.

 Skin Contact
 :
 Remove contaminated clothing. Wash affected area with mild soap and water.

 Inhalation
 :
 Remove affected person to fresh air. If discomfort persists, consult physician.

Swallowing : Seek immediate medical care.

Indication of any immediate medical attention and special treatment method

IF SWALLOWED: Immediately call a POISON CENTER or Doctor/Physician.

IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media

- **Suitable** : Carbon Dioxide; Dry Chemical; Universal Type Foam.

- Unsuitable : Water spray; others not established.

5.2 Special hazards arising from substance

Combustible liquid Possibility of development of hazardous gases or vapors in event of fire Following may develop: CO and CO2

5.3 Advice for fire fighters

Do not stay in dangerous zone without self protective clothing and breathing apparatus Spray extinguishing media directly into base of fire Cool containers exposed to flame with water Prevent fire fighting water entering surface water or ground water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

Wear personal protective clothing. Keep away unprotected individuals. Eliminate source of ignition. Keep area well ventilated and isolate the spill.

6.2 Environmental precautions

Prevent entry into drains, ground/surface water or sewerage system.

6.3 Methods and material for containment and cleaning up

Pick up with absorbents material (Sand) or with pump for large spills.

6.4 Reference to other sections

Refer to Section 7, 8 & 13



(According to Regulation (EC) No. 1907/2006 (REACH)

ORANGE OIL BRAZIALIAN

Version: Date:

SDS/2010/1 20/08/2013

Revision: Date:

Page No.: Page 3 of 6

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Measures to prevent fire

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

FRC04267

Use explosion proof electrical/ ventilating/lighting/equipment etc.

Measures to prevent aerosols and dust generation

Ensure good ventilation at workplaces

Measures to protect the environment

Prevent entry into drains, ground/surface water or sewerage system.

General Occupational hygiene

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

Conditions for safe use, including any incompatibilities

Information on storage conditions

Should be stored in cool, dark, dry, well ventilated places in full, tightly sealed containers protected from light & source of ignition

Information on packing materials

Should be packed in Aluminium, HDPE Food Grade Cans, MS Coated Drums, and GI Drums, Avoid long contact with Iron

Requirements for storage rooms and vessels

Should be stored in suitable containers (lines inside) e.g. MS Coated Drums, GI Drums etc. No special requirement for storage rooms.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Engineering controls should be used as the primary means to control exposures

Personal protective equipments

Skin protection Eye protection **Body protection**

Respiratory protection







Protective clothing



Dust mask

Safety gloves

tight safety goggles

Environmental exposure controls Prevent entry into drains, ground/surface water or sewerage system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

-physical state Liquid

-colour Yellow orange to deep orange

Characteristic Odour **Odour Threshold** Medium N/A Melting Point °C N/A

Boiling Point °C >350 Flash Point (Closed Cup) °C 51°C Vapour Pressure N/A

Vapour Density Not Estimated 0.838 - 0.855 @ 20°C Specific Gravity /Relative Density 1.468 - 1.480 @ 20° C Refractive Index

Optical Rotation N/A

Surface tension Not Estimated

Solubility

-Water Insoluble Soluble -Alcohol N/A Viscosity

Partition Cofficient Not estimated



(According to Regulation (EC) No. 1907/2006 (REACH)

ORANGE OIL BRAZIALIAN

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 4 of 6

Explosive Limits

 -Lower Explosion Limit
 0.7 Vol%

 -Upper Explosion Limit
 6.1 Vol%

 Auto ignition Temperature
 N/A

 Flammability
 Flammable

 Granulometry
 N/A

 Oxidising Properties
 N/A

FRC04267

10. STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive, stable at room temperature.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Reactions with strong oxidizers

10.4 Conditions to avoid

No decomposition if stored and handled properly

10.5 Incompatible materials

Avoid strong acids strong bases and all oxidising agents

10.6 Hazardous decomposition products

No dangerous decomposition products expected by intended us

11. TOXICOLOGICAL INFORMATION

 11.1
 Acute toxicity oral (LD50)
 >5 g/kg

 11.2
 Acute toxicity inhalation
 >5 g/kg

 11.3
 Acute toxicity dermal (LD50)
 Not determined

 11.4
 Skin Irritation/Corrosion
 Not determined

 11.5
 Respiratory sensitization
 Not determined

 11.6
 Skin sensitization
 N/A

 11.7
 CMR Effects

Carcinogenicity No
Mutagenicity No
Toxic to reproduction No

11.8 Eye Irritation / Corrosion Not determined

11.9 Exposure limits

There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

established.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

 PNEC Oral
 :
 N/A

 NOAEL
 :
 N/A

 EC50 (48hrs)
 :
 N/A

 LC50 (96hrs)
 :
 N/A

12.2 Persistence and degradability : Readily biodegradable in water

12.3 Mobility in Soil : Low mobility

12.4 Results of PBT and vPvB assessment

N/A

13. DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Product/packaging disposal

Handle in accordance with official provisions

Waste treatment options

Recycling is preferred to disposal or burning

Waste code /Waste designations according to EWC/AVV

15 02 02* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

13.2 Recommendations

Empty contaminated packing thoroughly as they may be recycled

Moistened solids to be disposed off adhering to necessary technical regulations after consulting concerned authorities



(According to Regulation (EC) No. 1907/2006 (REACH)

ORANGE OIL BRAZIALIAN

Version : Date: SDS/2010/1 20/08/2013

Revision : Date:

Page No.: Page 5 of 6

14. TRANSPORT INFORMATION

14.1 Land Transport (ADR/RID/GGVSE)

 UN Number
 1993

 DG Class
 3

 Packing Group
 III

Proper Shipping Name Flammable Liquid, N.O.S.

FRC04267

Classification Code 3Y

Hazard Labels



14.2 Sea Transport (IMDG-Code/GGVSee)

 UN Number
 1993

 DG Class
 3

 Packing Group
 III

Proper Shipping Name Flammable Liquid, N.O.S.

Marine Pollutant Yes

Hazard Labels





14.3 Air Transport (ICAO-IAT/DGR)

 UN Number
 1993

 DG Class
 3

 Packing Group
 III

Proper Shipping Name Flammable Liquid, N.O.S.

Hazard Labels



14.4 Special precautions for users

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse Prevent entry into drains, ground/surface water or sewerage system.

14.5 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

N/A

14.6 Other Information

 Custom Tariff Code
 : 3301 12 0000

 EmS Code
 : F-E, S-E

15. REGULATORY INFORMATION

EU regulations:

The product has been classified and labelled according to criteria provided in Directive 67/548/EEC and 1272/2008/EC, and following the recommendations of EFFA (European Flavor and Fragrance Association).

Other Regulations: German Regulation (VwVws)
Water Hazard Class : WGK 1

16. OTHER INFORMATION

16.1 Changes to previous version

Changes applicable according to regulation (EC) No 1907/2006 (REACH)

16.2 Abbreviations and acronyms

GHS : Globally Harmonized System of Classification and labeling of Chemicals

CAS : Chemical abstract Service (division of American Chemical society)

CLP : Classification, Labelling and Packaging
LD50 : Lethal concentration, 50 percent
EC50 : Effective concentration, 50 percent
PNEC : Predicted No Effect Concentration
NOAEL : No Observed Adverse Effect Levels

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

RID : Regulations Concerning the International Transport of Dangerous Goods by Rail



(According to Regulation (EC) No. 1907/2006 (REACH)

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 6 of 6

FRC04267 ORANGE OIL BRAZIALIAN

IMDG : International Maritime Code for Dangerous Goods

IATA : International Air Transport Association

IATA-DGR : Dangerous Goods Regulations by the International Air Transport Association (IATA)

ICAO : International Civil Aviation Organization

16.4 Wording of relevant hazard statement and/or precautionary statements referred to in section 2 to 15

Hazard Codes

N DANGEROUS FOR THE ENVIRONMENT

Xn HARMFUL

Risk Phrases

R10 FLAMMABLE
R38 IRRITATING TO SKIN

R43 MAY CAUSE SENSITISATION BY SKIN CONTACT
R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

R50/53 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

Safety Phrases

\$24 AVOID CONTACT WITH SKIN \$37 WEAR SUITABLE GLOVES

\$61 AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/SAFETY DATA SHEET

S62 IF SWALLOWED, DO NOT INDUCE VOMITTING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.

Hazard Statements

H226 FLAMMABLE LIQUID AND VAPOUR

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H315 CAUSES SKIN IRRITATION

H317 MAY CAUSE AN ALLERGIC SKIN REACTION

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Precautionary Statements

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/LIGHTING/.../EQUIPMENT
P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN

P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER

P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

P405 STORE LOCKED UP

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

16.5 Training advice appropriate for workers

N/A

16.6 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution. It does not represent a guarantee of the properties of the product.